

4. The whole quantity purchased by each purchaser must be paid for within thirty days from the date of sale, failing which the earnest and deposit moneys already paid in shall be forfeited to Government and the timber not paid for shall be resold. Moneys due may be paid into the Treasury of the taluk in which the depot is situated, but into no other except in cases where the purchasers are permitted to pay into any other Government Treasury in accordance with the chellans issued to him.

5. No timber shall be delivered to any purchaser until it has been paid for in full.

6. No timber can be removed from the depot till a permit to remove timber signed by the Forest Officer in charge of the depot shall have been obtained.

7. Timber paid for may be removed at any time within thirty days from the date of sale or within such further period not exceeding ninety days from the date of sale as may be fixed by the Forest Officer as the circumstances of each case may require, without payment of rent; but if left in the depot longer than ninety days from date of sale such timber will remain at the risk of the purchaser, and further shall be charged with depot rent at Rs. 6-4-0 per cent per annum, on the sale amount from the date of sale. If the timber be not removed within six months from the date of sale, the same shall, after ten days' notice to the purchaser, be sold by public auction for the recovery of rent and costs, etc.

8. Timber logs should be duly measured by the purchaser prior to removal from the depot; complaints regarding short measurements will not be entertained after the removal.

9. Interest at Rs. 6½ per cent per annum is leviable from the date of sale on payments overdue.

10. Defaulters on account of previous sales will not be permitted to bid.

11. Timber belonging to the defaulters on account of previous sales will also be resold.

M. A. VARADACHAR, District Forest Officer.

ENGINEERING DEPARTMENT.

HEADQUARTER RANGE, MYSORE.

Notification dated 24th March 1920.

Notice is hereby given that sealed tenders will be received at the office of the Assistant Engineer, Mysore Headquarter Range, up to 25th April 1920, for constructing compound wall in front and rear side of Students' Hostel at Mysore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of September 1920.

2. The plans detailed estimate and conditions may be seen at the Assistant Engineer's Office at Vanivilas road between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Assistant Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory notes, as earnest money and be superscribed, "Tender for constructing compound wall in front and rear side of Students' Hostel at Mysore" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted, will be posted on the notice board in the Assistant Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Estimate of the probable cost of constructing compound wall in front and rear of the Students' Hostel at Mysore.

Names of work	Per	Quantity
Dismantling brick in mud	100 C. ft.	1,420
Earthwork excavation	"	219
Concrete in mortar	"	2,370
Brick in chunam foundation and basement	"	4,787
Brick in mud superstructure	"	1,487
Coping with brick in chunam including plastering	R. ft.	623
Plastering with chunam	Sq.	65,33
Burnt stone coping slabs of 4½" dressed chamfered and drilling holes	S. ft.	1,481
Cast iron ornamental railing including fixing and painting	R. ft.	1,007
Clearing site and levelling ground, including removal of old latrines	Lump sum	
Teakwood providing gate with reapers No. 3	S. ft.	36
Renewing the gate No. 1	Lump sum	

K. V. KARVE, Assistant Engineer.

MYSORE DIVISION.

Dated 19th March 1920.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Mysore Division, up to 15th April 1920, for constructing Sub-Assistant Surgeon's quarters at Bettadapur, Hunsur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1920.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing Sub-Assistant Surgeon's quarters at Bettadapur, Hunsur Taluk, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders the earnest money on rejected tenders will be returned.

Abstract estimate for constructing Sub-Assistant Surgeon's quarters at Bettadapur, Hunsur Taluk.

No.	Items of work	Per	Quantity
1	Earthwork excavation foundation	C. yd.	70
2	Concrete filling foundation	C. ft.	578
3	Burnt brick in chunam foundation	"	986
4	Do basement	"	655
5	Do mud superstructure	"	1,519
6	Do chunam	"	496
7	Coping with burnt brick in chunam	R. ft.	42
8	Burnt stone slabs dressed and fixed	S. f.	297
9	Arch work brick in chunam	Lump sum	108
10	Teakwood battened doors	S. ft.	86
11	Do pannelled doors	C. ft.	66'60
12	Honey woodwork wrought and put up	Each	6
13	Cut stone pillars nicely dressed with base and capitals	Sq.	13'48
14	Roofing with 1st class Mangalore tiles with teak reepers, etc., complete	R. ft.	62
15	Ridge tiles set in mortar	"	157
16	Teakwood eave board, ordinary	Lump sum	61
17	Constructing V-shaped drain and lead off drains	S. ft.	42
18	Teakwood pannelled windows with glazed shutters, etc., complete	R. ft.	96
19	Do battened shutters with iron bars	"	96
20	Zinc sheets for valleys with planks	Sq.	44'35
21	Teakwood planks	"	44'35
22	Plastering with chunam	Lump sum	2'30
23	White and colourwashing	Sq.	4'79
24	Flooring with Mangalore tiles on 3" concrete and cement pointing	"	5'94
25	Gravelling the compound	Lump sum	Do
26	Flooring with Cuddapah slabs on 3" concrete and cement pointing	Sq.	Do
27	Chocolate painting	No.	96
28	Constructing combined chimney	Lump sum	Do
29	Constructing seats in latrines, stone flagging, cement pointing and tarring 3' high with drainage pipe.	Do	Do
30	Tarring timber	No.	96
31	Pestle and mortar	Do	Do
32	Iron hold fasts to doors and windows	No.	96
33	Cupboards with pegs to support	Lump sum	Do
34	Wood oiling	Sq.	2'55

A. PUTTUSWAMIYA,
Executive Engineer.

SHIMOGA DIVISION.

Dated 24th March 1920.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Shimoga Division, up to 25th April 1920, for constructing a Dispensary building with In-patients wards, etc., at Anavatti. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1921.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Shimoga, between the hours of 11 A.M. and 5 P.M., on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees five hundred and fifty only in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a Dispensary building with In-patients, wards, etc., at Anavatti in Sorab Taluk, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer of who does not bind himself to accept the lowest or any tender, or to assign any reason, whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract estimate for constructing Dispensary and In-patient wards at Anavatti, Sorab Taluk.

Serial No.	Items of work	Per	Quantity
1	Clearing site and levelling ground.	Lump	sum.
2	Earthwork excavation for foundation and filling in basement	C. yd.	118
3	Size of basement stone in chunam foundation and basement	C. ft.	3,251
4	Burnt brick in chunam superstructure		5,441
5	Do arch work		56
6	Burnt stone slabs dressed	S. ft.	602
7	Chunam plastering	Sq.	98.76
8	Flooring with 9" Mangalore tiles 1st class on 3" concrete bed and cement pointing.		8.11
9	Teakwood doors pannelled with double shutters including bolt hooks and hinges etc., complete.	S. ft.	250
10	Teakwood doors battened do do		36
11	Do pannelled windows with iron bars glazed shutters in side pannelled out side including hinges, bolts, hooks, etc., complete.		220
12	White and colour washing	Sq.	96.76
13	Teakwood ventilators glazed	S. ft.	90
14	Painting to doors and windows	Sq.	20.00
15	Teakwood work wrought and put up	C. ft.	157.00
16	Roofing with 1st class Mangalore tiles on teak reapers, etc., complete	Sq.	31.37
17	Ridge and hip tiles with cement pointing	R. ft.	119
18	Teakwood eave board ornamental		441
19	Teakwood pillars with base and capitals	Each	13
20	Wood foiling to wood work	Sq.	10.00
21	Tarring to wood work		6.00
22	Zinc sheets to valleys	S. ft.	90
23	Teakwood plank 1" thick for valleys		90
24	Teakwood finials	Each	4
25	Flooring with Cuddappah slabs over 3" concrete bed and cement pointing.	Sq.	9.18
26	Teakwood gathic windows treble with glazed shutters, etc.	S. ft.	85
27	Ventilating tiles including cement pointing, etc.	Each	8
28	Drainage	Lump	sum.
29	Compensation for land	Rupees.	
30	Concrete foundation	C. ft.	1,046
Total			
Contingencies at 5 per cent			
Grand Total			

K. NARAYANA IYENGAR,
Executive Engineer.

HASSAN DIVISION.

Abstract Notification.

The attention of the public is invited to page 170 of 13th issue of the *Mysore Gazette*, wherein tenders have been called for, for constructing a bridge across the Hemavathi at Gorur. The earnest money to be deposited is Rs. 5,000 and the work should be completed by end of June 1924.

B. C. SRINIVASA IYENGAR,

Executive Engineer.

BANGALORE DIVISION.

Dated 20th March 1920.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 12 noon of the 12th April 1920, for constructing a Vernacular Agricultural School at Hebbal. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1921.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

N.B.—Specific rates should be quoted for each and every item and not such remarks as "as per actuals," "as per market rates, etc."

4. For items of work not tendered for, but subsequently found necessary and executed, rates current in the division at the time, will be passed by the Executive Engineer, whose decision will be final in the matter.

5. Each tender must be accompanied by the Treasury chalan for having remitted a sum of rupees one thousand only to the credit 17 (a) P. W. Deposits towards earnest money, and be superscribed "Tender for Constructing a Vernacular Agricultural School at Hebbal," in default of which, tenders will be rejected.

6. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

7. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

8. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

9. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

I.

Constructing a Latrine in the Agricultural Farm at Hebbal, Bangalore.

No.	Items of work	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation and filling in basement	100 c. ft.		177	
2	Stone in mortar filling foundation			140	
3	Burnt brick in mortar			446	
4	Burnt stone slabs 6" thick dressed	100 s. ft.		46	
5	Teakwood battened door without frame	S. ft.		54	
6	Teakwood wrought and put up.	C. ft.		6-2	
7	Roofing with Mangalore tiles on teak reepers with mortar bands, complete.	Sqr.		11	
8	Flooring with Cuddapah slabs on 3" concrete with cement pointing complete.			1	
9	Jolly and Honey Comb Work	S. ft.		85	
10	Cement plastering 1" thick	Sqr.		186	
11	Plastering with chunam			700	
12	Cement drain in and out side	R. ft.		58	
13	Cisterns with cement plaster, complete	No.		2	
14	White and colour washing as per plastering	Sqr.		700	
15	Zinc tubs	Nos.		5	

II.

Constructing quarters for the Head Master of the Agricultural Farm at Hebbal, Bangalore.

No.	Details of work	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation and filling basement	100 c. ft.		2,184	
2	Chunam concrete	"		395	
3	Stone in chunam (filling foundation)	"		2,519	
4	Brick in chunam	"		3,890	
5	Burnt stone slabs dressed partly	100 s. ft.		442	
6	Arch burnt brick in mortar	100 c. ft.		14	
7	Perforated brick work with plastering complete in latrine	S. ft.		8	
8	Teakwood paneled doors with iron fittings, complete	"		333	
9	Teakwood paneled windows with iron bars and fittings, complete.	"		112	
10	Teakwood ventilators glazed, with iron bars and fitting complete.	"		29	
11	Teakwood work wrought and put up	C. ft.		155.6	
12	Pukkha terrace	Sqr.		2.56	
13	Roofing with 1st class Mangalore tiles on teak reepers complete with mortar bonds.	"		24.0	
13a	Ridge tiles set in mortar and pointed	R. ft.		110	
14	Chunam plastering	Sqr.		80.00	
15	Cornice 9" complete	R. ft.		62	
16	6" coping complete	"		64	
17	Finials over front gables	No.		2	
18	Masonry parapets in front verandah with coping complete 3 feet high	R. ft.		64	
19	Zinc gutters for valleys	"		27	
20	Masonry blocks	No.		1	
21	Teakwood planks for valleys	S. ft.		41.4	
22	Masonry over-hangings	No. 1		2	
23	Masonry columns in front	"		2	
24	Cement gutters for valleys	R. ft.		27	
25	Flooring with 1st class Mangalore tiles on 3" concrete with cement pointing.	Sqr.		2.52	
16a	Zinc sheet for valleys	S. ft.		54	
26	Flooring with Cuddapah slabs on 3" concrete with cement pointing	Sqr.		10.72	
16b	Teakwood 1" planking	S. ft.		54	
27	White and colourwashing as per plastering	Sqr.		80	
16c	Cement bond for valleys	R. ft.		27	
28	Masonry bond around the main building 6"	"		115	
29	Cement pointing the basement.	Sqr.		3.36	
30	Painting to doors and windows exposed	"		13.5	
31	Teakwood eave boards	R. ft.		279	
32	Wood oiling and tarring woodwork	Sqr.		12.5	
33	Zinc down pipes	R. ft.		30	

III.

Constructing an out-house for kitchen, Bath and Dining rooms in the Agricultural Hebbal Farm, Bangalore.

No.	Details of work	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation and filling the basement	100 c. ft.		2,038	
2	Chunam concrete	"		698	
3	Stone in mortar	"		1,882	
4	Burnt brick in mortar	"		2,742	
5	Burnt stone slabs partly dressed	100 s. ft.		440	
6	Teakwood paneled doors complete with iron fittings	S. ft.		186	
7	Teakwood plank doors hinged to wall plugs	"		60	
8	Teakwood paneled windows with iron bars and iron fittings complete.	"		120	
9	Teakwood glazed ventilators with iron bars and iron fittings complete.	"		64	
10	Teakwood wrought and put up	C. ft.		115.2	
11	Roofing with 1st class Mangalore tiles on teak reepers	Sqr.		20.6	
12	Ridge tiles set in mortar and pointed	R. ft.		92	
13	Flooring 1" cement on 3" concrete	Sqr.		5.0	
14	Flooring with Cuddapah slabs on 3" concrete	"		2.2	
15	Stone flagging on 3" concrete	"		1.4	
16	Chunam plastering	"		52.6	
17	Cement pointing to basement	"		4.4	
18	Teakwood eave board	R. ft.		286	
19	Teakwood screens for dining rooms	S. ft.		112	
20	Glass tiles to roof	No.		20	
21	White and colourwashing as per plastering	Sqr.		53	
22	Silicate painting	"		12.0	
23	Tarring and wood oiling	"		9.0	
24	Zinc sheets for valleys	S. ft.		52	
25	Teakwood 1" planking	"		52	
26	Cement bond for valley	R. ft.		26	

IV.

Constructing a School in the Agricultural Hebbal Farm at Bangalore.

No.	Item of work.	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1.	Earthwork excavation and filling the basement	100 c. ft.		3,520	
2.	Chunam concrete	"		1,19	
3.	Stone in mortar	"		3,468	
4.	Burnt brick in mortar	"		6,921	
5.	Burnt stone slabs 6" thick	100 s. ft.		999	
6.	Arch work brick in mortar over openings in verandah	"		36	
7.	Teakwood paneled doors complete with iron fittings, etc., with 1 1/2 feet armoured at top.	S. ft.		224	
8.	Teakwood paneled windows with iron bars and iron fittings complete with top 1 1/2 revolving ventilators	"		420	
9.	Teakwood glazed ventilators with iron bars and iron fittings complete around.	"		94	
10.	Teakwood with perforated zinc sheet for hair holes	"		16	
11.	Wood work wrought and put up	C. ft.		258.6	
12.	Iron King Post Trusses for 20 feet span	Cwt.		22.5	
13.	Pakka terrace	Sqr.		4.2	
14.	Roofing with 1st class Mangalore tiles on teak reapers, etc., complete.	"		342	
15.	Chunam plastering	"		102.3	
16.	Flooring with 1st class Mangalore tiles on 3" concrete with cement pointing.	"		23.7	
17.	9" moulding complete as per design	R. ft.		91	
18.	Masonry blocks	No.		6	
19.	Over-hangings	"		7	
20.	Parapet, ordinary	R. ft.		85	
21.	Masonry band	"		388	
22.	Masonry columns in front of terrace room	No.		4	
23.	Ridge tiles set in mortar and pointed	R. ft.		136	
24.	Zinc sheet gutters for valleys	"		74	
25.	Teakwood planks for valleys	S. ft.		74	
26.	Cement gutters for valleys	R. ft.		37	
27.	White and colour wash as per plastering	Sqr.		102	
28.	Silicate paint to doors and windows exposed	"		20.5	
29.	Wood oiling and tarring to wood work	"		21.0	
30.	Ornamental eave board fixed to rafters end	R. ft.		260	
31.	Finials over front gables	No.		2	
32.	Cement pointing the basement	Sqr.		24	

T. S. RAGHAVACHAR,
Executive Engineer.

MEDICAL DEPARTMENT.

VANI VILAS HOSPITAL, MYSORE.

Notice dated 24th March 1920.

Notice is hereby given that sealed tenders will be received up to 11 A.M., on Monday the 26th April 1920, by the Lady Medical Officer in charge, Vani Vilas Hospital, Mysore, for the supply of bedding and clothing required for the use of the said Hospital.

2. No tenders will be received after the date above mentioned.

3. Tenders to be superscribed "Tender for the supply of bedding and clothing" for the Vani Vilas Hospital, Mysore.

4. Each tender must be accompanied with a deposit of Rs. 40 in cash.

5. Tenders will be opened by the Lady Medical Officer, at her office, in the Vani Vilas Hospital, on the date and at the hour above mentioned.

6. All tenders must specify the rate at which the following articles can be supplied and the value of each tender must be worked out with totals according to the rates tendered. Tenders without such valuation will be rejected.

7. The number of articles mentioned in the list are not guaranteed.

8. Articles of bedding and clothing should be according to the Hospital samples which will be available for inspection at the Hospital.

9. The Lady Medical Officer in-charge reserves to herself the right of rejecting any tender without assigning any reason for so doing.

10. No advance of cash will be made to the contractor. Payment for the articles supplied will be made as soon as possible.

11. The contract must not be sublet.

12. The decision of the Senior Surgeon, with the Government of Mysore, to be final in all questions of infringement of contract.